


SEATING OPTION: (3) AMBULATORY PASSENGERS, (1) MOBILITY AID PASSENGER, AND THE DRIVER



LOADED WEIGHT CALCULATIONS

$$\Sigma M_{CLR} = 0$$

$$300(65) + 250(25) + 2616(121) - F_{YR}(121) = 0$$


$$F_{YR} = 2829\#$$

$$\Sigma F_Y = 0$$

$$150(4) + 250(1) + 2616 + 2198 - 2829 - F_{YR} = 0$$

$$F_{YR} = 2835\#$$

REQUIRED CAPACITIES
 LOADED GVW = 5664#
 LOADED GAW FRONT = 2829#
 LOADED GAW REAR = 2835#



NOTES / DEFINED VARIABLES

ALLOWABLE WEIGHTS
 OEM GVWR = 6050#
 OEM FRONT GAWR = 2950#
 OEM REAR GAWR = 3100#

MODIFIED EMPTY WEIGHTS (INCLUDES 3RD ROW FLIP SEAT)
 TOTAL VEHICLE = 4814#
 FRONT AXLE = 2616#
 REAR AXLE = 2198#

WHEEL BASE = 121"
 AMBULATORY PASSENGER = 150#
 MOBILITY AID PASSENGER = 250#
 REMOVABLE FRONT PASSENGER SEAT = 100#

NOTE: THESE ARE APPROXIMATE WEIGHTS ONLY.
 (ACTUAL WEIGHTS MAY VARY WITH VEHICLE.)
 WEIGHTS FROM VIN #2C7WDGBG2KR754532

						DESIGN/APPR. MDL	<u>TOLERANCES:</u> (UNLESS OTHERWISE SPECIFIED) DECIMAL DIMENSIONS: .XXX = ±.010 .XX = ±.030 .X = ±.060 FRACTIONAL DIMENSIONS = ±1/32 ANGULAR DIMENSIONS = ±1° NOTE: DEBURR ALL SHARP CORNERS	CONFIDENTIAL PROPRIETARY INFORMATION DO NOT COPY WITHOUT PERMISSION OF <i>The Braun Corporation</i> Winamac, Indiana 46996
						DRAWN PJF		
						DETAIL CHK.		
						SCALE 1"=32"		BRAUN RT ADA SE - V3 2019
REQ. BY	LET.		REVISION	ECN NO.	REV. BY	DATE	P/N	509726

